Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



1 F765Fo Sitgreaves Reserve

U. S. Department of Agriculture

FOREST SERVICE

GIFFORD PINCHOT, FORESTER


FOREST ATLAS

OF THE

NATIONAL FORESTS OF THE UNITED STATES

SITGREAVES


FOLIO




FOREST ATLAS LEGEND PAGE

	GENERAL CLASSIFICATION		CONVENTIONAL Block line	SIGNS	ALPI	HA-NUMERIC SYMBOLS FO	OR WESTERN COMMERCIAL
	Commercial Timber Less than 2,000 B.F. per acre		Compartment line, sales		These		e limited space makes necessary,
	2,000 to 5,000 B.F. per acre		Boundary line for all other clas	sifications	D129=		age stand 29,000 B.M. per acre
	5,000 to 10,000 B.F. per acre				Q612=	=Quercus agrifolia, average s	tand 12 cords per acre
			Grant line		T67=	=Thuja plicata, average stan	d 7 tele-poles per acre
	10,000 to 25,000 B.F. per acre		Telegraph line		PO I	Pinus contorta (murrayana) flexilis	Lodgepole Pine Limber Pine
	25,000 to 50,000 B.F. per acre		Telephone line		2	monticola	Western White Pine
	Woodland, cordwood, poles, etc.				3 4	lambertiana ponderosa	Sugar Pine Yellow Pine
			Power line		5	coulteri sabiniana	Coulter Pine Gray Pine
	Chaparral or brush		Pipe line		7	jeffreyi	Jeffrey Pine
	Sagebrush		Aqueduct		8	radiata attenuata	Monterey Pine Knobcone Pine
	Grassland, parks, etc.	***************************************	Railroad		B2 5	strobiformis albicaulis	Mexican White Pine White-bark Pine
	Barren, above timber line, etc.		Tramway		6 7	torreyana edulis	Torrey Pine Pinon
800	Desert		Wire rope conveyor		9	monophylla	Single-leaf Pinon
	Burn, not restocking				A1 2	Abies magnifica concolor	Magnificent Fir White Fir
			Wagon road		3 4	shastensis nobilis	Shasta Fir Noble Fir
HHAR	Burn, scattering trees or restocking	======	Secondary or private road		5	lasiocarpa	Alpine Fir
	Burn, forest cover established (The color indicates the stand)		Pack trail		6	grandis arizonica	Lowland Fir Arizona Cork Fir
_	Windfall		Foot trail		8 9	amabilis venusta	Lovely Fir Bristle-cone Fir
10 100	Bug-killed or diseased	_	Fire line			Picea engelmanni parryana	Engelmann Spruce Blue Spruce
60 0	Old cutting, less than ½ of the merchantable timber removed	- * * *-	Fonce		5	breweriana	Weeping Spruce
111/12					6 DI I	sitchensis Pseudotsuga taxifolia	Sitka Spruce Douglas Fir (Red)
1111	Old cutting, 1 to 2 of the merchantable timber removed		Ditch		5	macrocarpa 'suga mertensiana	Bigcone Spruce Black Hemlock
	Old cutting, # to all of the merchantable timber removed		Flume		6	heterophylla	Western Hemlock
11117			Slide			equoia sempervirens washingtoniana	Redwood Bigtree
	Timber sales, less than ‡ of the merchantable timber removed		Log driving route			hamæcyparis nootkatensis lawsoniana	Yellow Cedar Port Orford Cedar
	Timber sales, ‡ to ‡ of the merchantable timber removed	>>>>>>	Rollway		T6 T	huja plicata	Red Cedar
	Timber sales, § to all of the merchantable timber removed				7	arix lyallii occidentalis	Alpine Larch Western Larch
		7	Skidway			ibocedrus decurrens upressus macnabiana	Incense Cedar Macnab Cypress
	Cultivated	#	Bridge		6	macrocarpa arizonica	Monterey Cypress
	Irrigated	-M-	Ferry		8	goveniana	Arizona Cypress Gowen Cypress
		-11-	Ford		JI J	uniperus utahensis pachyphlœa	Utah Juniper Alligator Juniper
	TITLE	EEEE	Experimental nursery (area)		4 5	occidentalis sabinoides	Western Juniper Mountain Juniper
(A)	State lands, approved State lands, not approved		Experimental nursery (location)		7	californica	California Juniper
9	Indian allotments	0			9 Q0 G	monosperma tuercus chrysolepis	One-seed Juniper Canyon Live Oak
L PB	Lieu selections Pending base		Permanent nursery (area)		1 2	californica lobata	California Black Oak California White Oak
RP R	Railway lands, patented Railway lands, not patented	0	Permanent nursery (location)		3	douglasii	Blue Oak
HP	Homesteads, patented	11111	Forested by natural seeding		5	garryana wislizeni	Pacific Post Oak Highland Oak
CE	Homesteads, not patented Cash entry		Forested by artificial seeding	For planting maps	6	agrifolia gambelii	California Live Oak Gambel Oak
T	Timber and stone Coal entry	Fatatat	Forested by planting		8 9	densiflora engelmanni	· California Tanbark Oak
D TE	Desert entry				M2 A	cer macrophyllum	Engelmann Oak Oregon Maple
15	Townsite entry		Location of Silvical experiments		5 9	glabrum negundo californicum	Dwarf Maple California Boxelder
	Mineral lode claims, patented	5	Corral		WO I	opulus trichocarpa fremontii	Black Cottonwood Fremont Cottonwood
Р	Mineral placer claims, patented		Supervisor's headquarters		5	tremuloides	Aspen
M	Mineral mill site, patented	1	Ranger's headquarters, no house		FI F	angustifolia raxinus pennsylvanica	Narrowleaf Cottonwood Red Ash
MC	Mineral classification	<u> </u>	Ranger's headquarters, with ho House	use	6 8	oregona lanceolata	Oregon Ash Green Ash
			Railroad station Stage station		UI I	runus demissa Iatanus wrightii	Western Choke Cherry
	GRAZING MAP LEGEND	177	Power station		8	racemosa	Arizona Sycamore California Sycamore
	Supervisor's headquarters	-	Hotel Store			alix lasiandra sessilifolia	Western Black Willow Silverleaf Willow
1	Supervisor's division	+	School Church		9	amygdaloides	Almondleaf Willow
	Ranger's division		Cemetery Telegraph office				24.100
	Grazing districts	■TLP.	Telephone office				nited States are marked U.S.
	Open for all stock		Cabin Dairy		and de	signated by "Proposed" on	wn by the appropriate sign the margin of the maps
	Open for cattle and horses only	<u> </u>	Logging camp Sawmill, portable		Aba	adoned improvements are sh	nown by zeros O O O O and
	Open for sheep and goats only	-	Sawmill, stationary Grist mill		uesign	ated on the margin of the ma	ps
	Closed for all stock	×-	Grist and sawmill		Add	itional buildings may be ab-	own by using the house sign
////		A A	Apiary Windmill		w (=)	ith a written designation; th	
	Lambing grounds		Well Quarry or gravel pit			ghter house ery barn	
	Driveways for stock	*	Mine location, unpatented		- Sana	etarium etc.	
5	Corral		Mine shaft Triangulation station		· · · · · ·		
			Attenguation station				


9.84 0000	100.76 · 6	5	4	3	2	90.00	93. 50 6 93. 59	5	4) 3	2	90,00	
1 <u>0.05</u>	7	8	9	10	11	East	7	8		100		12	
9.00	18	17	16	15	14	ر اع	18	17		15	-14-	13—	
8.96	/0/. 84	20	21	22	23	24	93. 82	1 20	21	22	_23	124	T. 15 N.
8.92	30	29	28	27	26	25 C	30	6000 R 29	28	27	26	_25	
8.94	<i>102.05</i>	32	33	34	35	36 9	93.925	32-	33	34	35	39	
9.50	102.47	5	4	, 3	2 (1	Σ C _{ree}	5 94 5 QV 1 K6. 71 6	5_3	4 0	3 0	2 *2	000	
/ <u>2.60</u>	102.52		V	Clear		(12)	12 39 p		2	2 10	7 82	12	
13.04	102.60	8	7.0%	10	R	R	3 2 1						
12,54	102.)48	17	X 16	15	14-	13	4 5 6 9 8 7 10 12 80	X	(6)	15			T. 14 N.
12.50	102.70	20	21	22	-23=	24 I	10 119 12 860	20-	21	22 R	R R	24	
12.20	30 /02.35	29	28	127 27	26	25	3 2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29	28_	27	26-	-25 R	
// <u>.66</u>	31	32 O	33	34_	35-7000		3 2 4 5 6 9 8 7	32	3/3	734-	R 35	33	
07.11	99.20	Z	e or o	3-3	2		12 1303 21	15		3			
	7	000	1000	10		12/	3 2 1 1 4 5 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		10009			212	
	18	Ŭ ₁₇	16	15	14/	13 %	3 2 1	3017	16	15	14	13	T 12 N
	19	20	21	22	23-	24-	3 2 1 4 5 6 9 8 7		21	22-55	23	— 24 ⁻ —	T. 13 N.
	30	29	28	27	26-	25	3 2 11	29-	28	\$27	26	25	34° 30'
	85,30 - 31	32	33 Ba	34	35	Worth	10 11 95 PT 0 3 2 4 5 9 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	28 62	33	34	35 - 9	3	
Г	3rd. 86 Topography by U. Land lines by Gene Classification by F	Stand S. Geological Survey eral Land Office orest Service		ra/IIeI	VIA VA	Mali	1110		1 4 3 2	4 3 2 1	SI7	TOREAV	





R. 16 E.


R. 17 E.




T. 13 N.


DEC.. 1908


SITGREAVES





Topography by U. S. Geological Survey Land lines by General Land Office Classification by Forest Service

















9.84	100.76 6 101.36	5	4	3	2	90.00	93. 50 6 93. 59	5	4) 3	2	80,00	
10.05	7	8	9	10	11	East	7 93.68	8		105	- 11-	2	
9.00	18	17	16	15	14	ر اع	18 93. 82	17		15	-14	13	
8.96	19	20	21	22	233	24	19	20	21	22	_23	124	T. 15 N.
8.92	30	29	28	27	26	25 C	30	8000 R 29	28	_ 27	26	-25	
8.94	31	32	33	34	35	36 PE	31 0	32-	33	34	35	39	
9.50	6	5	4	Clear	3	Cree	6	5	4 0	3 0	2 8 2 4 2 4	00008	
12.60	7	8	0	10	R	121	3 2 1 4 5 6 8 8 7	8-	9	10		12	
13.04	18	17	K 4 16	15	14-	R //	3 2 1 4 5 6 8 9 8 7	17	(6)	15			
12.54	19	20	21	22	-23=	24 3 5 5 5 5 5	3 2 1	20-	21	22	23 R	24	T. 14 N.
12.50	30	29	28	127	2.6	25	3 2 0	29	28 -	27	26	25 R	
12.20	31	32 O	33	34-	35-7000	100	3 2 4 5 6 9 8 7	32-	3/3	34	R 35	36	
17.66	6	Z	8 4	3-3	2		5 4 3 6 7 8	5	4	3-3-	_2_		
	7	O U ⁸	1000	10		12	3 2 1 4 5 6 7 9 8 7 10 119,512,62	8	9			5,5	
	18	U ₁₇	16	15	4/	13.0	3 2 1	3 17	16	15	4	13	T IO N
	19	20	21		23_	24-	3 2 1 4 5 6 9 8 7 10 119 512 6 4		21	22	23	— 24 —	T. 13 N.
	30	29	28	27	26-	25	3 2 1/ 4 5 /6 9 (5 3 0 -	29-	28	27-	26	25	34° 30'
	31 3rd. 8/. 86	32 Stand	33 Ba	34 a	35	North	3 2 4 5 6 7 8 7 7 8 13	32	33	34	35 - 6	50 - 5 7 3 2 1	
	Topography by U. S Land lines by Gene Classification by Fe	S. Geological Survey ral Land Office prest Service					111100	o'			SIT	GREAVE	





R. 16 E.


R. 17 E.



T. 13 N.

DEC.. 1908


SITGREAVES




Topography by U. S. Geological Survey Land lines by General Land Office Classification by Forest Service


R. 12 E.

DEC.. 1908
SITGREAVES



R. 14 E.





T. 18 N.

R. 19 E.

